


4.6 PHYSICS (232)

4.6.1 Physics Paper 1 (232/1)

PDF Compressor Free Version

SECTION A (25 MARKS)

|    |   |           |
|----|---|-----------|
| 1. | <ul style="list-style-type: none"> <li>- The patch was monolayer. ✓</li> <li>- The patch was a perfect cylinder. ✓</li> <li>- Molecular diameter is uniform.</li> <li>- The patch is a perfect circle.</li> </ul> <p>(Any two correct)</p>  | (2 marks) |
| 2. | <p>Relative density = <math>\frac{70-55}{80-55}</math> ✓</p> <p style="margin-left: 40px;">= 0.6 ✓</p> <p>Density = 0.6 x 1000</p> <p style="margin-left: 40px;">= 600 kgm<sup>-3</sup> ✓</p> <p>OR Volume of water = <math>\frac{25}{1} = 25\text{cm}^3</math></p> <p style="margin-left: 40px;">= Volume of R. = 25cm<sup>3</sup> ✓</p> <p style="margin-left: 40px;">Mass of R = 70 - 55 = 15g ✓</p> <p><math>\rho = \frac{m}{v} = \frac{15}{25} = 0.6\text{gcm}^{-3}</math> ✓</p> | (3 marks) |
| 3. | Spaces between the water molecules are occupied by the alcohol molecules. ✓   | (1 mark)  |
| 4. | The flask expands first before ✓ the liquid. Then the liquid expands more. ✓  | (2 marks) |
| 5. | The wooden bar remains in equilibrium. ✓ the weight remains the same on both sides. Hence turning effect is the same ✓ to the edge causing a bigger turning effect (moments). ✓   | (2marks)  |
| 6. | To conserve mass - (A <sub>1</sub> V <sub>1</sub> = A <sub>2</sub> V <sub>2</sub> ) ✓ / ensure the volume flux is constant.   | (1 mark)  |
| 7. | <p>P.E.</p> <p>✓</p>  <p style="text-align: right;">Time</p>   | (1 mark)  |

|     |  |           |
|-----|--|-----------|
| 8.  | <p>Impulse = (Ft) = change in momentum<br/> <del>PDF Compressor Free Version</del><br/> <math>Ft = mv - mu.</math> ✓<br/> <math>F = \frac{mv - mu}{t} = \frac{m(v - u)}{t}</math> ✓<br/>         but <math>\frac{v - u}{t} = a</math><br/> <math>F = m a.</math> ✓</p>                   | (3 marks) |
| 9.  | The drop first rises ✓ then falls ✓.   | (2 mark)  |
| 10. | The gas is ideal gas   | (1 mark)  |
| 11. | <p>Heat lost by hot water = heat gained by cold water ✓<br/> <math>mc\Delta\theta</math> (hot) = <math>mc\Delta\theta</math> (cold)<br/> <math>4 \times C \times (80 - t) = 6 \times C \times (t - 20)</math> ✓<br/> <math>10t = 440</math><br/> <math>t = 44^\circ\text{C}</math> ✓</p> | (3 marks) |
| 12. | <p><math>20 \times 30 = 10 \times 50 + x \times 10</math> ✓<br/> <math>x = \frac{600 - 500}{10}</math> ✓<br/> <math>= 10</math><br/> <math>= 60\text{cm mark.}</math> ✓</p>  | (3 marks) |
| 13. | The weight of the body is such that the net position of the center of gravity in B is lower than in A, hence B is more stable ✓.   | (1 mark)  |

## SECTION B (55 MARKS)

|         |  |           |
|---------|--|-----------|
| 14. (a) | <p>PDF Compressor Free Version</p> $v_a = \frac{d}{t} = \frac{1}{50} = 0.02 \text{ sec} \checkmark$ $= \frac{0.5}{0.02} \checkmark$ $= 25 \text{ cms}^{-1} \checkmark$ <p>(II) <math>v_b = \frac{d}{t}</math></p> $= \frac{1.5}{0.02}$ $= 75 \text{ cms}^{-1}$ <p>(ii) <math>a = \frac{v_b - v_a}{t}</math></p> $= \frac{75 - 25}{8 \times 0.02}$ $= 312.5 \text{ cms}^{-2}$   | (4 marks) |
| (b)     | <ul style="list-style-type: none"> <li>- The spacing reduces <math>\checkmark</math> with time.</li> <li>- The trolley decelerates with time on a horizontal surface. <math>\checkmark</math></li> </ul>   | (2 marks) |
| 15.     | <ul style="list-style-type: none"> <li>- Hung the spring on the stand and note the position of the pointer using the metre rule.</li> <li>- Suspend a mass on the spring and note the new position of the pointer.</li> <li>- Increase the load in steps and record the position of the pointer for each load.</li> <li>- Draw a table of weight against extension.</li> <li>- Plot a graph of force against extension.</li> </ul> <p><b>(Correct steps 5 x 1)</b></p> | (5 marks) |
| (b)     | <p>From the graph</p> <p>(i) <math>K = \text{gradient} \checkmark</math></p> $= \frac{\Delta F}{\Delta e} = \frac{0.9 - 0.5}{7 - 4} = \frac{0.4}{(3 \times 10^{-2})} \checkmark$ $K = 1.33 \times 10^2 \text{ Nm}^{-1} \checkmark$   | (3 marks) |

|         |  |  |
|---------|--|--|
|         | (ii) Load = 0.38N ✓  | (1 mark)   |
| (c)     | <p><del>PDF Compressor Free Version</del></p> $e = \frac{F}{K} = \frac{5}{100} = 0.05 \text{ m for each spring.} \checkmark$ <p>∴ lower spring = 0.05m</p> $\text{Upper springs} = \frac{0.05}{2} = 0.025 \checkmark$ $\text{Total} = 0.05 + 0.025$ $= 0.075 \text{ m} \checkmark$   | (3 marks)  |
| 16. (a) | <p>(i) - Oil doesn't mix with water. ✓</p> <p>- Oil is less dense hence floats on the water surface. ✓</p> <p>(ii) To show boundary of the oil patch clearly, for measurements to be taken. ✓</p> <p>(iii) - The oil drops is a perfect sphere.</p> <p>- The patch is monolayer.</p> <p>- The patch is a perfect circle.</p> <p>- Molecular diameter is uniform.</p> <p><b>(any two correct)</b></p> <p>(iv) - The oil breaks the surface tension ✓ making the patch to form a perfect circle. ✓</p> | <p>(2 marks)</p> <p>(1 mark)</p> <p>(2 marks)</p> <p>(2 marks)</p> |
| (b)     | $\text{Volume of 1 drop} = \frac{15}{100} = 0.15 \text{ mm}^3 \checkmark$ <p>Volume of drops = Volume of oil patch.</p> $\frac{4}{3} \pi r^3 = \pi r^2 h = 15.0 \text{ mm}^3 \checkmark$ <p>•</p> $\text{Thickness of molecule } h = \frac{0.15}{8.0 \times 10^4}$ $= 1.875 \times 10^{-6} \text{ mm}$ $\cong 1.9 \times 10^{-6} \text{ mm} \checkmark$  | (3 marks)  |

